

6,3 mm

Dimensions in the tab sector DIN46342, part1

Werkstoff/Matière/Material

.2 = Bronze/bronze


.4 = Kupfer/cuivre/copper

.6 = Messing/laiton/brass

Artikelnummer
Numéro d'article
Part-No.

Bohrung/Trou/Hole


Werkzeuge
Outils
Toolings



3867ab.6

Ø 1
T 2.9
H 14.2
A 5
B1 8.5
L1 18
L 9.5
øD 1.65
B 1
S 0.8

24



03867ab.6

Ø 1
T 2.9
H 14.2
A 5
B1 8.5
L1 18
L 9.5
øD 1.65
B 1
S 0.8


1046ab



3867l.6

Ø 1.1
T 3
H 13.2
A 5
B1 8
L1 18
L 10
øD 3
B 1
S 0.8


28



03867l.6

Ø 1.1
T 3
H 13.2
A 5
B1 8
L1 18
L 10
øD 3
B 1
S 0.8

1047a



3867d.2


Ø 1.1
T 3
H 9.3
A 5
B1 6
L1 20
L 14
øD 1.65
B 1
S 0.8

33

Artikelnummer
Numéro d'article
Part-No.

Bohrung/Trou/Hole


Werkzeuge
Outils
Toolings



3867d.6

Ø 1.1
T 3
H 9.3
A 5
B1 6
L1 20
L 14
øD 1.65
B 1
S 0.8


33



03867d.6

Ø 1.1
T 3
H 9.3
A 5
B1 6
L1 20
L 14
øD 1.65
B 1
S 0.8


1046d



3867d1.6

Ø 1.1
T 3
H 9.3
A 5
B1 6
L1 21.5
L 15.5
øD 1.65
B 1
S 0.8


33



03867d1.6

Ø 1.1
T 3
H 9.3
A 5
B1 6
L1 21.5
L 15.5
øD 1.65
B 1
S 0.8

1046d1



3867c.6


Ø 1.1
T 3.2
H 8
A 5
B1 6
L1 18
L 12
øD 1.65
B 1
S 0.8

26

Artikelnummer
Numéro d'article
Part-No.

Bohrung/Trou/Hole

Werkzeuge
Outils
Toolings



3868y.6

Ø 1.2
T 3.5
H 13.5
A 5
B1 8
L1 21.5
L 13.5
øD 1.65
B 1.1
S 0.8


28



3867b.2

Ø 1.3
T 3
H 12
A 5
B1 8
L1 16.2
L 8.2
øD 1.65
B 1.3
S 0.8

28



03867b.2

Ø 1.3
T 3
H 12
A 5
B1 8
L1 16.2
L 8.2
øD 1.65
B 1.3
S 0.8


1046b



3867b.6

Ø 1.3
T 3
H 12
A 5
B1 8
L1 16.2
L 8.2
øD 1.65
B 1.3
S 0.8






28












03867b.6


Ø 1.3
T 3
H 12
A 5
B1 8
L1 16.2
L 8.2
øD 1.65
B 1.3
S 0.8

1046b

						
Artikelnummer Numéro d'article Part-No.	3868a.6	03868a.6	3867e.6	03867e.6	3867k.6	03867k.6
Bohrung/Trou/Hole	$\varnothing$ 1.3 T 3.5 H 11.1 A 5 B1 6.9 L1 16 L 9.1 $\varnothing D$ 1.65 B 1.3 S 0.8	$\varnothing$ 1.3 T 3.5 H 11.1 A 5 B1 6.9 L1 16 L 9.1 $\varnothing D$ 1.65 B 1.3 S 0.8	$\varnothing$ 1.3 T 4 H 13 A 5 B1 7 L1 16 L 9 $\varnothing D$ 1.65 B 1.3 S 0.8	$\varnothing$ 1.3 T 4 H 13 A 5 B1 7 L1 16 L 9 $\varnothing D$ 1.65 B 1.3 S 0.8	$\varnothing$ 1.35 T 3.5 H 12.5 A 5 B1 8 L1 16.2 L 8.2 $\varnothing D$ 1.65 B 1.3 S 0.8	$\varnothing$ 1.35 T 3.5 H 12.5 A 5 B1 8 L1 16.2 L 8.2 $\varnothing D$ 1.65 B 1.3 S 0.8
Werkzeuge Outils Toolings	28	1046a	28	1046e	28	1046k


						
Artikelnummer Numéro d'article Part-No.	3867a.6	03867a.6	3867x.6	3867v.6	3867ac.4	3867g.6
Bohrung/Trou/Hole	$\varnothing$ 1.4 T 4 H 15 A 5 B1 8 L1 16.5 L 8.5 $\varnothing D$ 1.65 B 1.4 S 0.8	$\varnothing$ 1.4 T 4 H 15 A 5 B1 8 L1 16.5 L 8.5 $\varnothing D$ 1.65 B 1.4 S 0.8	$\varnothing$ 1.45 T 4 H 22.5 A 5 B1 8 L1 16.2 L 8.2 $\varnothing D$ 1.65 B 1.4 S 0.8	$\varnothing$ 1.5 T 3.5 H 11.5 A 7.5 B1 14 L1 26 L 12 $\varnothing D$ 1.65 B 1.4 S 0.8	$\varnothing$ 1.5 T 3.7 H 14.4 A 5 B1 9.1 L1 24.1 L 15 $\varnothing D$ 1.65 B 1.5 S 0.8	$\varnothing$ 1.5 T 4 H 15 A 5 B1 7.9 L1 16.3 L 8.4 $\varnothing D$ 1.65 B 1.4 S 0.8
Werkzeuge Outils Toolings	27	1046w	28	28	28	27

			
Artikelnummer Numéro d'article Part-No.	3866e.6	3867p.6	3867r.6
Bohrung/Trou/Hole	$\varnothing$ 1.1	$\varnothing$ 1.2	$\varnothing$ 1.2




Artikelnummer
Numéro d'article
Part-No.
Bohrung/Trou/Hole


3867p90.6
 Ø 1.2



3865x.6
 Ø 1.3



3866b90.6
 Ø 1.3




Masse im Steckbereich
DIN46342, Teil 1

Dimensions zone
d'emboîtement selon
DIN46342, partie 1

Dimensions in the tab sector
DIN46342, part1


Bohrung Ø Trou Ø Hole Ø mm	Anzahl Kontakte Quantité contacts Quantity Contacts	L mm	Artikelnummer Numéro d'article Part-No.
1.3	1 x 2	8	3865v02.6
	2 x 2	18.2	3865v04.6
	3 x 2	28.3	3865v06.6
	4 x 2	38.5	3865v08.6
	5 x 2	48.7	3865v10.6
	6 x 2	58.8	3865v12.6
	7 x 2	69	3865v14.6
	8 x 2	79.2	3865v16.6

0.250" (6.35mm) Right Angle Tabs / Quick Disconnect Terminals




Part Number 901

Loose Part No.	901
Reeled Part No.	N/A (see PN 6901)
Mounting Type	Outward or Inward Splay
Material Thickness / Type	0.032" (0.81mm) Brass
Standard Finish	100% Tin over Copper
Mounting Hole Diameter	0.058" ±0.003" (1.47mm ±0.076)
Current Rating	20 Amperes
Applicator System	ZPT92-250



Part Number 6901

Loose Part No.	N/A (see PN 901)
Reeled Part No.	6901
Mounting Type	Outward or Inward Splay
Material Thickness / Type	0.032" (0.81mm) Brass
Standard Finish	100% Tin over Copper
Mounting Hole Diameter	0.058" ±0.003" (1.47mm ±0.076)
Current Rating	20 Amperes
Applicator System	Model 9700, 9700 XY



Part Numbers 6080, 6152

Reeled Part No.	6080	6152
Feature 'W'	0.070" (1.78mm) HOLE	No Hole
Mounting Type	Outward or Inward Splay	
Material Thickness / Type	0.032" (0.81mm) Brass	
Standard Finish	100% Tin over Copper	
Mounting Hole Diameter	0.058" ±0.003" (1.47mm ±0.076)	
Current Rating	20 Amperes	
Applicator System	Model 9700, 9700 XY	