


2,8 mm

Dimensions in the tab sector DIN46342, part1

Werkstoff/Matière/Material

.2 = Bronze/bronze

.6 = Messing/laiton/brass



						
Artikelnummer Numéro d'article Part-No.	3775w05.6	3775e05.6	378005.2	0378005.2	378005.6	0378005.6
Bohrung/Trou/Hole	Ø 0.8	Ø 0.8	Ø 0.9	Ø 0.9	Ø 0.9	Ø 0.9
	T 1.8	T 3.1	T 3.8	T 3.8	T 3.8	T 3.8
	L 11.3	L 9.75	L 6.7	L 6.7	L 6.7	L 6.7
	L1 13.1	L1 16.35	L1 10.5	L1 10.5	L1 10.5	L1 10.5
	B1 2.8	B1 5.3	B1 2.8	B1 2.8	B1 2.8	B1 2.8
	B2 2.8	B2 2.8	B2 2.8	B2 0.8	B2 2.8	B2 0.8
	øD 1	øD 1	øD 1.4	øD 1.4	øD 1.4	øD 1.4
	B 0.8	B 0.8	B 1	B 1	B 1	B 1
	S 0.5	S 0.5	S 0.5	S 0.5	S 0.5	S 0.5
Werkzeuge Outils Toolings	17	17	13	104105	13	104105

							
Artikelnummer Numéro d'article Part-No.	3775k.6	3779t.6	03779t.6	378008.2	0378008.2	378008.6	0378008.6
Bohrung/Trou/Hole	Ø 1	Ø 1	Ø 1	Ø 1	Ø 1	Ø 1	Ø 1
	T 1.3	T 2.8	T 2.8	T 3.8	T 3.8	T 3.8	T 3.8
	L 7.8	L 6.7	L 6.7	L 6.7	L 6.7	L 6.7	L 6.7
	L1 18.8	L1 9.5	L1 9.5	L1 10.5	L1 10.5	L1 10.5	L1 10.5
	B1 3.6	B1 2.8	B1 2.8	B1 2.8	B1 2.8	B1 2.8	B1 2.8
	B2 2.8	B2 2.8	B2 2.8	B2 2.8	B2 2.8	B2 2.8	B2 2.8
	øD 1.3	øD 1.4	øD 1.4	øD 1.4	øD 1.4	øD 1.4	øD 1.4
	B 1	B 1	B 1	B 1	B 1	B 1	B 1
	S 0.5	S 0.8	S 0.8	S 0.8	S 0.8	S 0.8	S 0.8
Werkzeuge Outils Toolings	17	16	104108	16	104108	16	104108

						
Artikelnummer Numéro d'article Part-No.	3780b08.6	03780b08.6	3779s.6	03779s.6	3780l.6	03780l.6
Bohrung/Trou/Hole	Ø 1 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.5 B 1 S 0.8	Ø 1 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.5 B 1 S 0.8	Ø 1.1 T 2 L 10 L1 12 B1 2.8 B2 2.8 øD 1.3 B 1 S 0.8	Ø 1.1 T 2 L 10 L1 12 B1 2.8 B2 2.8 øD 1.3 B 1 S 0.8	Ø 1.1 T 3 L 17 L1 20 B1 2.8 B2 2.8 øD 1.3 B 1 S 0.8	Ø 1.1 T 3 L 17 L1 20 B1 2.8 B2 2.8 øD 1.3 B 1 S 0.8
Werkzeuge Outils Toolings	16	104108	16	104708	16	10411

					
Artikelnummer Numéro d'article Part-No.	3775g.6	3775f.6	3780e08.6	03780e08.6	377105.6
Bohrung/Trou/Hole	Ø 1.1 T 3.5 L 49.5 L1 55.5 B1 4 B2 2.8 øD 1 B 0.9 S 0.8	Ø 1.1 T 4 L 32.5 L1 39 B1 4 B2 2.8 øD 1 B 0.9 S 0.8	Ø 1.2 T 1.5 L 9 L1 13 B1 3.8 B2 2.8 øD 1.3 B 1.2 S 0.8	Ø 1.2 T 1.5 L 9 L1 13 B1 3.8 B2 2.8 øD 1.3 B 1.2 S 0.8	Ø 1.2 T 7.5 L 10 L1 17.5 B1 2.8 B2 2.8 øD 1.2 B 1.3 S 0.5
Werkzeuge Outils Toolings			64	1041e	13

						
Artikelnummer Numéro d'article Part-No.	3780s08.2	03780s08.2	3773a05.2	03773a05.2	3773a05.6	03773a05.6
Bohrung/Trou/Hole	Ø 1.3 T 1.9 L 11 L1 12.9 B1 2.8 B2 2.8 øD 1.3 B 1.3 S 0.8	Ø 1.3 T 1.9 L 11 L1 12.9 B1 2.8 B2 2.8 øD 1.3 B 1.3 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.2x3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.2x3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.2x3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.2x3 B 1.4 S 0.5
Werkzeuge Outils Toolings	18	1041s08	17	104805	17	104805

						
Artikelnummer Numéro d'article Part-No.	3775a05.2	03775a05.2	3775a05.6	03775a05.6	3773a08.6	03773a08.6
Bohrung/Trou/Hole	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD Ø 1.3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD Ø 1.3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD Ø 1.3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD Ø 1.3 B 1.4 S 0.5	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.2x3 B 1.4 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD Ø 1.3 B 1.4 S 0.8
Werkzeuge Outils Toolings	17	104805	17	104805	18	104808

						
Artikelnummer Numéro d'article Part-No.	3775a08.2	03775a08.2	3775a08.6	03775a08.6	3775i08.2	03775i08.2
Bohrung/Trou/Hole	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.3 T 3.2 L 7.1 L1 12.2 B1 3.8 B2 2.8 øD 1.3 B 1.4 S 0.8
Werkzeuge Outils Toolings	18	104808	18	104808	18	104808


						
Artikelnummer Numéro d'article Part-No.	3780a05.6	03780a05.6	3780a08.2	03780a08.2	3780a08.6	03780a08.6
Bohrung/Trou/Hole	Ø 1.3 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1.3 S 0.5	Ø 1.3 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1.3 S 0.5	Ø 1.3 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1.3 S 0.8	Ø 1.3 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1.3 S 0.8	Ø 1.3 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1.3 S 0.8	Ø 1.3 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1.3 S 0.8
Werkzeuge Outils Toolings	13	104105	16	104108	16	104108

							
Artikelnummer Numéro d'article Part-No.	378010.6	0378010.6	3779.6	03779.6	3775d05.6	3773k05.6	03773k05.6
Bohrung/Trou/Hole	Ø 1.2 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1 S 1	Ø 1.2 T 3.8 L 6.7 L1 10.5 B1 2.8 B2 2.8 øD 1.4 B 1 S 1	Ø 1.3 T 4 L 7 L1 12.5 B1 5 B2 2.8 øD 1.3x2.4 B 1.4 S 0.5	Ø 1.3 T 4 L 7 L1 12.5 B1 5 B2 2.8 øD 1.3x2.4 B 1.4 S 0.5	Ø 1.3 T 4.1 L 8 L1 16.2 B1 3.8 B2 2.8 øD 1.2 B 1.3 S 0.5	Ø 1.3 T 6.05 L 7 L1 14.95 B1 3.9 B2 2.8 øD 1.2x3 B 1.4 S 0.5	Ø 1.3 T 6.05 L 7 L1 14.95 B1 3.9 B2 2.8 øD 1.2x3 B 1.4 S 0.5
Werkzeuge Outils Toolings	18	104110	17	1043b	17	17	104805

						
Artikelnummer Numéro d'article Part-No.	3773b05.6	03773b05.6	3775b05.6	03775b05.6	3773b08.6	03773b08.6
Bohrung/Trou/Hole	Ø 1.3 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.2x3 B 1.4 S 0.5	Ø 1.3 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.2x3 B 1.4 S 0.5	Ø 1.3 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.3 B 1.4 S 0.5	Ø 1.3 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.3 B 1.4 S 0.5	Ø 1.4 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.2x3 B 1.4 S 0.8	Ø 1.4 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.2x3 B 1.4 S 0.8
Werkzeuge Outils Toolings	17	104805	17	104805	18	104808

						
Artikelnummer Numéro d'article Part-No.	377108.6	0377108.6	3773c05.2	03773c05.2	3773c05.6	03773c05.6
Bohrung/Trou/Hole	Ø 1.3 T 7.5 L 10 L1 17.5 B1 2.8 B2 2.8 øD 1.2 B 1.3 S 0.8	Ø 1.3 T 7.5 L 10 L1 17.5 B1 2.8 B2 2.8 øD 1.2 B 1.3 S 0.8	Ø 1.4 T 3.2 L 7 L1 12.3 B1 3.8 B2 2.8 øD 1.3x3.1 B 1.5 S 0.5	Ø 1.4 T 3.2 L 7 L1 12.3 B1 3.8 B2 2.8 øD 1.3x3.1 B 1.5 S 0.5	Ø 1.4 T 3.2 L 7 L1 12.3 B1 3.8 B2 2.8 øD 1.3x3.1 B 1.5 S 0.5	Ø 1.4 T 3.2 L 7 L1 12.3 B1 3.8 B2 2.8 øD 1.3x3.1 B 1.5 S 0.5
Werkzeuge Outils Toolings	16	104708	17	104805	17	104805


					
Artikelnummer Numéro d'article Part-No.	3773e05.2	3775b08.6	03775b08.6	3779wr.2	3779u.2
Bohrung/Trou/Hole	Ø 1.4 T 3.2 L 7 L1 12.3 B1 3.8 B2 2.8 øD B 1.5 S 0.5	Ø 1.45 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.45 T 7 L 7 L1 16.1 B1 3.9 B2 2.8 øD 1.3 B 1.4 S 0.8	Ø 1.5 T 4.3 L 6.8 L1 12.5 B1 5 B2 2.8 øD 1.2 B 1.5 S 0.5	Ø 1.55 T 4.3 L 6.8 L1 12.5 B1 7.2 B2 2.8 øD 1.2 B 1.55 S 0.5
Werkzeuge Outils Toolings	17	18	104808	13	17


							
Artikelnummer Numéro d'article Part-No.	3785s.6	3776b.6	3785y05.6	3785h.6	03785h.6	3785q05.6	03785q05.6
Bohrung/Trou/Hole	Ø 0.8 T 3.5 L 8.1 L1 15.4 B1 8 A 4 øD 1.3 B 0.65 S 0.8	Ø 0.9 T 2.5 L 6.5 L1 12.8 B1 4 A 2.5 øD B 0.9 S 0.5	Ø 0.9 T 2.5 L 10 L1 14.5 B1 5.2 A 2.5 øD 1.3 B 0.8 S 0.5	Ø 0.9 T 3.5 L 8.1 L1 15.4 B1 8 A 4 øD 1.3 B 0.8 S 0.8	Ø 0.9 T 3.5 L 8.1 L1 15.4 B1 8 A 4 øD 1.3 B 0.8 S 0.8	Ø 0.9 T 3.5 L 10 L1 16.9 B1 5.2 A 2.5 øD 1.3 B 0.8 S 0.5	Ø 0.9 T 3.5 L 10 L1 16.9 B1 5.2 A 2.5 øD 1.3 B 0.8 S 0.5
Werkzeuge Outils Toolings	32	93	64	32	1046h	64	1051q05

							
Artikelnummer Numéro d'article Part-No.	3785y08.6	3785q08.6	03785q08.6	3785u08.6	3785a05.2	3785a05.6	03785a05.6
Bohrung/Trou/Hole	Ø 1 T 2.5 L 10 L1 14.5 B1 5.2 A 2.5 øD 1.3 B 0.8 S 0.8	Ø 1 T 3.5 L 10 L1 16.9 B1 5.2 A 2.5 øD 1.3 B 0.8 S 0.8	Ø 1 T 3.5 L 10 L1 16.9 B1 5.2 A 2.5 øD 1.3 B 0.8 S 0.8	Ø 1 T 3.5 L 5 L1 20 B1 5 A 2.5 øD 1.3 B 0.9 S 0.8	Ø 1 T 4 L 7 L1 13 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.5	Ø 1 T 4 L 7 L1 13 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.5	Ø 1 T 4 L 7 L1 13 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.5
Werkzeuge Outils Toolings	64	64	1051q08	43	17	17	105105


						
Artikelnummer Numéro d'article Part-No.	3785c08.6	03785c08.6	3785t05.6	03785t05.6	3785t08.6	3785v08.6
Bohrung/Trou/Hole	Ø 1.15 T 4 L 7 L1 13 B1 3.5 A 2.65 øD 1.3 B 0.85 S 0.8	Ø 1.15 T 4 L 7 L1 13 B1 3.5 A 2.65 øD 1.3 B 0.85 S 0.8	Ø 1.1 T 1.5 L 7 L1 10.5 B1 3.7 A 2.5 øD 1.3 B 1.1 S 0.5	Ø 1.1 T 1.5 L 7 L1 10.5 B1 3.7 A 2.5 øD 1.3 B 1.1 S 0.5	Ø 1.1 T 1.5 L 7 L1 10.5 B1 3.64 A 2.5 øD 1.3 B 1.1 S 0.8	Ø 1.1 T 2 L 24 L1 29 B1 3.54 A 2.54 øD 1.3 B 1 S 0.8
Werkzeuge Outils Toolings	18	105108	17	1052t	64	64

						
Artikelnummer Numéro d'article Part-No.	3785w06.6	3785j08.6	3785r.6	3785m05.6	3785a08.6	03785a08.6
Bohrung/Trou/Hole	Ø 1.1 T 3 L 10 L1 15 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.6	Ø 1.1 T 3 L 25 L1 30 B1 3.6 A 2.5 øD 1.4 B 1.1 S 0.8	Ø 1.1 T 3.5 L 12.5 L1 27.5 B1 5 A 2.5 øD 1.3 B 1 S 0.8	Ø 1.1 T 4 L 7 L1 13 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.5	Ø 1.1 T 4 L 7 L1 13 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.8	Ø 1.1 T 4 L 7 L1 13 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.8
Werkzeuge Outils Toolings	13	64	64	17	18	105108

							
Artikelnummer Numéro d'article Part-No.	378508.6	3785w08.6	03785w08.6	3785k05.6	03785k05.6	3785k08.6	03785k08.6
Bohrung/Trou/Hole	Ø 1.2 T 3 L 9.5 L1 14.5 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.8	Ø 1.2 T 3 L 10 L1 15 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.8	Ø 1.2 T 3 L 10 L1 15 B1 3.7 A 2.5 øD 1.4 B 1.1 S 0.8	Ø 1.2 T 3 L 11 L1 16 B1 3.7 A 2.5 øD 1.2 B 1.1 S 0.5	Ø 1.2 T 3 L 11 L1 16 B1 3.7 A 2.5 øD 1.2 B 1.1 S 0.5	Ø 1.2 T 3 L 11 L1 16 B1 3.7 A 2.5 øD 1.2 B 1.1 S 0.8	Ø 1.2 T 3 L 11 L1 16 B1 3.7 A 2.5 øD 1.2 B 1.1 S 0.8
Werkzeuge Outils Toolings	64	64	1047w08	17	1051k05	64	1051k


					
Artikelnummer Numéro d'article Part-No.	3785x08.6■	3785108.6■	03785108.6■	3795c.6■	3785g.6■
Bohrung/Trou/Hole	Ø 1.2 T 3 L 11 L1 16 B1 3.7 A 2.5 øD B 1.1 S 0.8	Ø 1.2 T 3 L 14 L1 19 B1 3.7 A 2.5 øD 1.2 B 1.1 S 0.8	Ø 1.2 T 3 L 14 L1 19 B1 3.7 A 2.5 øD 1.2 B 1.1 S 0.8	Ø 1.3 T 3 L 7 L1 13.3 B1 7.6 A 5 øD 1.3 B 1.2 S 0.8	Ø 1.45 T 5.5 L 7.2 L1 31.5 B1 10 A 7.5 øD 1.3 B 1.4 S 0.8
Werkzeuge Outils Toolings	64	64	10511	18	

0.110" (2.79mm) Tabs / Quick Disconnect Terminals




Part Numbers 1063, 1064, 6063, 6064

Loose Part No.	1063	1064
Reeled Part No.	6063	6064
Mounting Type	Splay	Splay
Material Thickness / Type	0.020" (0.51mm) Brass	0.032" (0.81mm) Brass
Standard Finish	Loose: 100% Tin over Copper Reeled: 100% Tin over Copper	
Mounting Hole Diameter	0.055" ±0.003" (1.40mm ±0.076mm)	0.061" ±0.003" (1.55mm ±0.076mm)
Current Rating	10 Amperes	
Applicator System	Loose: ZPT81-A Reeled: Model 9700, 9700 XY	



Part Numbers 834, 835, 6834, 6835

Loose Part No.	834	835
Reeled Part No.	6834	6835
Mounting Type	Press-Fit	Press-Fit
Material Thickness / Type	0.020" (0.51mm) Brass	0.032" (0.81mm) Brass
Standard Finish	Loose: 100% Tin over Copper Reeled: 100% Tin over Copper	
Mounting Hole Diameter	0.044" ±0.003" (1.12mm ±0.076mm)	0.050" ±0.003" (1.27mm ±0.076mm)
Current Rating	10 Amperes	
Applicator System	Loose: ZPT81-A Reeled: Model 9700, 9700 XY	



Part Numbers 1201, 6201

Loose Part No.	1201
Reeled Part No.	6201
Mounting Type	Splay
Material Thickness / Type	0.032" (0.81mm) Brass
Standard Finish	Loose: 100% Tin over Copper Reeled: 100% Tin over Copper
Mounting Hole Diameter	0.055" ±0.003" (1.40mm ±0.076mm)
Current Rating	10 Amperes
Applicator System	Loose: ZPT81-A Reeled: Model 9700 XY