




- Material: Nylon 66 (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural/Black
- Unit: mm




Part No.	A	Package
MI2-6	6.0	1000
MI2-8	8.0	
MI2-10	10.0	
MI2-12	12.0	




Part No.	A	Package
MI2-3.8F	3.8	1000
MI2-4.8F	4.8	
MI2-5.8F	5.8	
MI2-6.8F	6.8	
MI2-7.8F	7.8	
MI2-8.8F	8.8	
MI2-9.8F	9.8	
MI2-14.8F	14.8	





Part No.	A	Package
MI2.5-5	5.0	2000
MI2.5-12	12.0	



Part No.	A	Package
MI2.5-4	4.0	2000
MI2.5-12S	12.0	
MI2.5-16	16.0	




Part No.	Package
MI3-6R	1000



Part No.	A	B	C	Thread	Package
MI3-3	3.0	2.0	5.5	M3x0.5P	1000
MI3-5	5.0	2.0	5.5	M3x0.5P	
MI3-6	6.0	2.0	5.5	M3x0.5P	
MI3-8	8.0	2.0	5.5	M3x0.5P	
MI3-10	10.0	2.0	5.5	M3x0.5P	
MI3-12	12.0	2.0	5.5	M3x0.5P	
MI3-12S	12.0	1.7	5.4	M3x0.5P	
MI4-7	7.0	2.7	7.0	M4x0.7P	
MI4-10	10.0	2.7	7.0	M4x0.7P	

- Material: PEEK (UL)
- Flame Class: 94V-0
- Color: Natural
- Unit: mm




Part No.	A	Package
MI3-4PK	4.0	1000
MI3-5PK	5.0	
MI3-6PK	6.0	

Part No.	A	Package
MI3-8PK	8.0	1000
MI3-10PK	10.0	
MI3-12PK	12.0	
MI3-14PK	14.0	
MI3-15PK	15.0	
MI3-17PK	17.0	
MI3-18PK	18.0	
MI3-20PK	20.0	
MI3-25PK	25.0	
MI3-30PK	30.0	




- Material: Nylon 66 (UL)/PC (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural
- Unit: mm

明周線。




【 S632-25, S632-28 】



Part No.	A	B	C	Thread	Package
M3.5-10	6.9	2.2	10.0	M3.5x0.6P	1000
M3.5-15	6.9	2.2	15.0	M3.5x0.6P	
M3.5-20	6.9	2.2	20.0	M3.5x0.6P	
M3.5-25	6.9	2.2	25.0	M3.5x0.6P	
M3.5-30	6.9	2.2	30.0	M3.5x0.6P	
S440-6	5.2	2.1	6.4	4-40 UNC	2000
S440-8	5.2	2.1	8.0	4-40 UNC	
S440-9	5.2	2.1	9.5	4-40 UNC	
S440-12	5.2	2.1	12.7	4-40 UNC	1000
S440-15	5.2	2.1	15.5	4-40 UNC	
S632-6	6.7	2.5	6.35	6-32 UNC	2000
S632-8	6.7	2.5	8.0	6-32 UNC	
S632-9	6.7	2.5	9.5	6-32 UNC	1000
S632-12	6.7	2.5	12.7	6-32 UNC	
S632-15	6.7	2.5	15.9	6-32 UNC	
S632-19	6.7	2.5	19.1	6-32 UNC	
S632-25	6.7	2.5	25.4	6-32 UNC	
S632-28	6.7	2.5	28.0	6-32 UNC	



- Material: PEEK (UL)
- Flame Class: 94V-0
- Color: Natural
- Unit: mm




Part No.	A	Package
M3-4PK	4.0	2000
M3-5PK	5.0	
M3-6PK	6.0	

Part No.	A	Package
M3-8PK	8.0	1000
M3-10PK	10.0	
M3-12PK	12.0	
M3-14PK	14.0	
M3-15PK	15.0	
M3-17PK	17.0	
M3-18PK	18.0	
M3-20PK	20.0	
M3-25PK	25.0	
M3-30PK	30.0	



- Material: Nylon 66 (UL)/PC (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural
- Unit: mm






Part No.	A	B	C	PH	Thread	Package
M2-3	3.0	1.4	3.3	#0	M2x0.4P	2000
M2-4	4.0	1.4	3.3	#0	M2x0.4P	
M2-5	5.0	1.4	3.3	#0	M2x0.4P	
M2-6	6.0	1.4	3.3	#0	M2x0.4P	
M2-6.5	6.5	1.4	3.3	#0	M2x0.4P	
M2-8	8.0	1.4	3.3	#0	M2x0.4P	
M2-10	10.0	1.4	3.3	#0	M2x0.4P	
M2-12	12.0	1.4	3.3	#0	M2x0.4P	
M2-15	15.0	1.4	3.3	#0	M2x0.4P	
M2.5-4	4.0	1.5	4.3	#1	M2.5x0.45P	
M2.5-5	5.0	1.5	4.3	#1	M2.5x0.45P	

Part No.	A	B	C	PH	Thread	Package
M2.5-6	6.0	1.5	4.3	#1	M2.5x0.45P	2000
M2.5-8	8.0	1.5	4.3	#1	M2.5x0.45P	
M2.5-10	10.0	1.5	4.3	#1	M2.5x0.45P	
M2.5L-13	13.0	1.5	6.3	#1	M2.5x0.45P	
M2.6-4	4.0	1.5	4.3	#1	M2.6x0.45P	
M2.6-5	5.0	1.5	4.3	#1	M2.6x0.45P	
M2.6-6	6.0	1.5	4.3	#1	M2.6x0.45P	
M2.6-8	8.0	1.5	4.3	#1	M2.6x0.45P	
M2.6-10	10.0	1.5	4.3	#1	M2.6x0.45P	
M3-4	4.0	2.1	5.5	#1	M3x0.5P	
★ M3-5-1	5.0	1.4	5.5	#1	M3x0.5P	



- Material: Nylon 66 (UL)/PC (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural
- Unit: mm




【 M4-8L, M4-10L 】 【 M5-10, M5-16, M5-20 】

Part No.	A	B	C	PH	Thread	Package
M3-5	5.0	2.1	5.5	#1	M3x0.5P	2000
M3-6	6.0	2.1	5.5	#1	M3x0.5P	
M3-8	8.0	2.1	5.5	#1	M3x0.5P	
M3-10	10.0	2.1	5.5	#1	M3x0.5P	
M3-12	12.0	2.1	5.5	#1	M3x0.5P	
M3-14	14.0	2.1	5.5	#1	M3x0.5P	
M3-15	15.0	2.1	5.5	#1	M3x0.5P	
M3-17	17.0	2.1	5.5	#1	M3x0.5P	
M3-18	18.0	2.1	5.5	#1	M3x0.5P	
M3-20	20.0	2.1	5.5	#1	M3x0.5P	
M3-25	25.0	2.1	5.5	#1	M3x0.5P	1000
M3-30	30.0	2.1	5.5	#1	M3x0.5P	
M4-5	5.0	2.5	7.0	#2	M4x0.7P	
M4-6	6.0	2.5	7.0	#2	M4x0.7P	
M4-8	8.0	2.5	7.0	#2	M4x0.7P	
M4-8L	8.0	3.0	8.0	#1	M4x0.7P	
M4-10	10.0	2.5	7.0	#2	M4x0.7P	
M4-10L	10.0	3.1	8.0	#2	M4x0.7P	
M4-12	12.0	2.5	7.0	#2	M4x0.7P	
M4-14	14.0	2.5	7.0	#2	M4x0.7P	
M4-16	16.0	2.5	7.0	#2	M4x0.7P	

Part No.	A	B	C	PH	Thread	Package
M4-20	20.0	2.5	7.0	#2	M4x0.7P	1000
M4-25	25.0	2.5	7.0	#2	M4x0.7P	
M4-30	30.0	2.5	7.0	#2	M4x0.7P	
M4-35	35.0	2.5	7.0	#2	M4x0.7P	
★ M5-10	10.0	3.6	9.1	#1	M5x0.8P	
M5-16	16.0	3.6	9.1	#1	M5x0.8P	
M5-20	20.0	3.6	9.1	#1	M5x0.8P	
R440-4S	4.75	1.8	5.8	#1	4-40 UNC	2000
R440-6	6.4	2.4	5.2	#1	4-40 UNC	
R440-7	7.0	2.4	5.2	#1	4-40 UNC	
R440-8	8.0	2.4	5.2	#1	4-40 UNC	
R440-9	9.5	2.4	5.2	#1	4-40 UNC	
R440-12	12.7	2.4	5.2	#1	4-40 UNC	
R440-15	15.5	2.4	5.2	#1	4-40 UNC	
★ R440-19	19.0	2.4	5.2	#1	4-40 UNC	
R632-6	6.35	2.5	6.7	#2	6-32 UNC	1000
R632-8	8.0	2.5	6.7	#2	6-32 UNC	
R632-9	9.5	2.5	6.7	#2	6-32 UNC	
R632-12	12.7	2.5	6.7	#2	6-32 UNC	
R632-15	15.9	2.5	6.7	#2	6-32 UNC	
R632-19	19.1	2.5	6.7	#2	6-32 UNC	



- Material: Nylon 66 (UL)/PC (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural/Black
- Unit: mm




Part No.	A	B	C	PH	Thread	Package
M2-4.5F	4.5	1.2	3.6	#0	M2x0.4P	2000
M2-5.5F	5.5	1.2	3.6	#0	M2x0.4P	
M2-6.5F	6.5	1.2	3.6	#0	M2x0.4P	
M2-7.5F	7.5	1.2	3.6	#0	M2x0.4P	
M2-8.5F	8.5	1.2	3.6	#0	M2x0.4P	
M2.5-6F	6.0	1.5	4.6	#1	M2.5x0.45P	
M2.5-8F	8.0	1.5	4.6	#1	M2.5x0.45P	1000
M3-4.2F	4.2	1.7	6.0	#1	M3x0.5P	
M3-5F	4.8	1.2	5.3	#2	M3x0.5P	
M3-5.3F	5.0	1.6	5.3	#1	M3x0.5P	
M3-6F	6.0	1.6	5.6	#1	M3x0.5P	
M3-8F	8.0	1.6	5.6	#1	M3x0.5P	

Part No.	A	B	C	PH	Thread	Package
M3-10F	10.0	1.6	5.6	#1	M3x0.5P	1000
M3-12F	12.0	1.6	5.6	#1	M3x0.5P	
M3-14F	14.0	1.6	5.6	#1	M3x0.5P	
M4-8F	8.0	2.0	7.6	#1	M4x0.7P	
M4-10F	10.0	2.0	7.6	#1	M4x0.7P	
M4-12F	12.0	2.0	7.6	#1	M4x0.7P	
M4-14F	14.0	2.0	7.6	#1	M4x0.7P	
M4-16F	16.0	2.0	7.6	#1	M4x0.7P	
M4-18F	18.0	2.7	7.65	#1	M4x0.7P	
★ M5-10F	10.0	2.5	9.1	#2	M5x0.8P	
M5-15F	14.8	2.5	9.1	#2	M5x0.8P	
★ M6-25F	25.0	2.0	8.4	#2	M6x1.0P	



- Material: PEEK (UL)
- Flame Class: 94V-0
- Color: Natural
- Unit: mm




Part No.	A	Package
M3-4FPK	4.0	1000
M3-5FPK	5.0	
M3-6FPK	6.0	

同 質 部 品

Part No.	A	Package
M3-8FPK	8.0	1000
M3-10FPK	10.0	
M3-12FPK	12.0	
M3-14FPK	14.0	
M3-15FPK	15.0	
M3-17FPK	17.0	
M3-18FPK	18.0	
M3-20FPK	20.0	
M3-25FPK	25.0	
M3-30FPK	30.0	



- Material: Nylon 66 (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural/Black
- Unit: mm




Part No.	Package
MOC-12	1000




- Material: Nylon 66 (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural/Black
- Unit: mm


用途：配合一般螺絲或塑膠螺絲使用



Part No.	Thread	Package
MOB-2.5	M2.5x0.45P	1000
MOB-2.6	M2.6x0.45P	




Part No.	A	B	Thread	Package
MOPG-7	17.1	5.0	PG7	1000
MOPG-9	22.0	5.1	PG9	
MOPG-11	24.0	6.1	PG11	
MOPG-13.5	27.2	6.1	PG13.5	



Part No.	A	Thread	Package
M-10	17.0	M10x1.5P	500
MO-12	17.9	M12x1.5P	1000




- Material: Nylon 66 (UL)/PP
- Flame Class: 94V-2/94V-0
- Color: Natural/Black
- Unit: mm



Part No.	A	B	C	Thread	Package
MO-8-1	12.0	5.0	13.0	M8x1.0P	1000
MO-13	14.0	4.1	16.0	M13x1.0P	
MO-25.4	38.2	11.7	42.2	PF1-11	100
MO-32L	36.6	8.2	41.15	M32x1.5P	500



- Material: Nylon 66 (UL)
- Flame Class: 94V-2/94V-0
- Color: Natural/Black
- Unit: mm



Part No.	A	B	C	Thread	Package
MO-16	22.0	6.6	24.7	M16x1.5P	1000
MO-20	27.0	6.6	29.8	M20x1.5P	
MO-25	33.0	8.5	36.2	M25x1.5P	500
MO-25-1	33.0	6.6	35.4	M25x1.5P	
MO-32	41.0	7.6	46.4	M32x1.5P	100