

4,8 mm

Tabs

Dimensions in the tab sector
DIN 46342 part 1

Surface-plating:

bl = clean
ag = silver-plated
au = gold-plated
ni = nickel-plated
sn = pure tin-plated

Code

(0)
(1)
(2)
(5)
(7)

Material:

BZ = bronze
MS = brass
NS = german silver
ST = steel



Flachstecker schraubbar und schweisssbar 4,8 mm
Languettes vissable et soudable
Tabs screwable and weldable


Masse im Steckbereich
DIN46342, Teil 1

Dimensions zone
d'emboîtement selon
DIN46342, partie 1

Dimensions in the tab sector
DIN46342, part 1

Werkstoff/Matière/Material
.6 = Messing/laiton/brass


☒ = Oberflächen/Surface/Surface-plating
Seite/page/page 5.011



øD mm	B mm	L mm	S mm	L3 mm	Artikelnummer Numéro d'article Part-No.
2.8	6.5	17.5	0.8	3.5	3810.6 ☒
3.2	6.5	17.5	0.5	3.5	381405.6 ☒
	6.5	17.5	0.8	3.5	381408.6 ☒
3.7	6.5	17.5	0.8	3.5	3818.6 ☒
4.3	6.5	17.5	0.8	3.5	3822.6 ☒
5.3	6.5	17.5	0.8	3.5	3810h.6 ☒

Werkstoff/Matière/Material
.6 = Messing/laiton/brass
.9 = Stahl/acier/steel


☒ = Oberflächen/Surface/Surface-plating
Seite/page/page 5.011



øD mm	B mm	L1 mm	L2 mm	W	S mm	L3 mm	Artikelnummer Numéro d'article Part-No.
2.8	6.5	10	7.5	45°	0.8	3.5	3811.6 ☒
	6.5	10	7.5	45°	0.8	3.5	3811.9 ☒
3.2	6.5	10	7.5	45°	0.8	3.5	3815.6 ☒
	6.5	10	7.5	45°	0.5	3.5	381505.6 ☒
3.7	6.5	10	7.5	45°	0.8	3.5	3819.6 ☒
	6.5	10	7.5	45°	0.5	3.5	381905.6 ☒
4.3	6.5	10	7.5	45°	0.8	3.5	3823.6 ☒
	6.5	10	7.5	45°	0.5	3.5	382305.6 ☒

Werkstoff/Matière/Material
.6 = Messing/laiton/brass
.9 = Stahl/acier/steel
.8 = rostfreier Stahl/acier inox/stainless steel
* = ohne Bohrung/sans trou/without hole


☒ = Oberflächen/Surface/Surface-plating
Seite/page/page 5.011



øD mm	B mm	L1 mm	L2 mm	W	S mm	L3 mm	Artikelnummer Numéro d'article Part-No.
*	6.5	10	7.5	90°	0.8	-	381208.80
2.8	6.5	10	7.5	90°	0.5	3.5	381205.9 ☒
	6.5	10	7.5	90°	0.8	3.5	381208.6 ☒
	6.5	10	7.5	90°	0.8	3.5	381208.9 ☒
3.2	6.3	12.9	11.2	90°	0.8	3.1	3828g.6 ☒
	6.5	10	7.5	90°	0.8	3.5	3816.6 ☒
3.7	6.5	10	7.5	90°	0.8	3.5	3820.6 ☒
4.3	6.5	10	7.5	90°	0.8	3.5	3824.6 ☒

Werkstoff/Matière/Material
 .6 = Messing/laiton/brass
 .9 = Stahl/acier/steel


☒ = Oberflächen/Surface/Surface-plating
 Seite/page/page 5.011



øD mm	B mm	L mm	S mm	Artikelnummer Numéro d'article Part-No.
2.8	6.5	23	0.8	3811d.6 ☒
	6.5	28	0.8	3813.6 ☒
3.2	6.5	23	0.8	3814d.6 ☒
	6.5	28	0.8	3817.6 ☒
	6.5	28	0.8	3817.9 ☒
3.7	6.5	23	0.8	3818d.6 ☒
4.2	6.5	23	0.8	3821.6 ☒
	6.5	28	0.8	3821r.6 ☒

Werkstoff/Matière/Material
 .6 = Messing/laiton/brass


☒ = Oberflächen/Surface/Surface-plating
 Seite/page/page 5.011



øD mm	B mm	L1 mm	L2 mm	W mm	S mm	Artikelnummer Numéro d'article Part-No.
3.2	6.5	9.5	7.7	45°	0.8	381745.6 ☒
3.7	6.5	9.5	7.7	45°	0.8	3821l4508.6 ☒
4.2	6.5	9.5	8.0	45°	0.5	3821r4505.6 ☒
	6.5	9.5	7.7	45°	0.8	3821r4508.6 ☒

Werkstoff/Matière/Material
 .6 = Messing/laiton/brass

☒ = Oberflächen/Surface/Surface-plating
 Seite/page/page 5.011



øD mm	B mm	L1 mm	L2 mm	W mm	S mm	Artikelnummer Numéro d'article Part-No.
3.2	6.5	10	7.5	90°	0.8	381790.6 ☒
4.2	6.5	10	7.5	90°	0.8	3821r90.6 ☒


Werkstoff/Matière/Material
 .6 = Messing/laiton/brass
 .8 = rostfreier Stahl/acier inox/stainless steel
 .9 = Stahl/acier/steel

■ = Oberflächen/Surface/Surface-plating
 Seite/page/page 5.011

spezial


spécial

special




Artikelnummer
 Numéro d'article
 Part-No.


3810d.6■




3810d05.6■



3816d05.6■




3816d08.6■




Artikelnummer
 Numéro d'article
 Part-No.


3816d4505.6■




3816d4508.6■




3816d9005.6■




3816d9008.6■




3824e.6■




3828b.6



3828k.6■



3828r.6■



3829m.6■